



MACHINERY & EQUIPMENT

FLOOR GRINDERS | DESBASTADORAS



HUSQVARNA FLOOR GRINDER PG 830 | 50-60 Hz

22 hp	1226 lbs	440-480V	32 in
RATED INPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER BMG 830S | 50-60 Hz

15 hp	1096 lbs	230V	32 in
RATED INPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER BMG 780 | 60 Hz

20 hp	1074 lbs	230V	31 in
OUTPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER PG 690 | 50-60 Hz

17 hp	1107 lbs	440-480V	26 in
RATED INPUT POWER	WEIGHT	VOLTAGE	DIAMETER

FLOOR GRINDERS | DESBASTADORAS



HUSQVARNA FLOOR GRINDER PG 690 P | PROPANE

22
hp

OUTPUT POWER

766
lbs

WEIGHT

25
in

DIAMETER



HUSQVARNA FLOOR GRINDER BMG 555P | PROPANE

7.4
hp

OUTPUT POWER

724
lbs

WEIGHT

24
in

DIAMETER



HUSQVARNA FLOOR GRINDER BMG 555

7.4
hp

OUTPUT POWER

600
lbs

WEIGHT

230V

VOLTAGE

24
in

DIAMETER



HUSQVARNA FLOOR GRINDER PG 540 | 50-60 Hz

5.5
hp

RATED INPUT POWER

392
lbs

WEIGHT

440-480V

VOLTAGE

22
in

DIAMETER

FLOOR GRINDERS | DESBASTADORAS



HUSQVARNA FLOOR GRINDER PG 450 | 60 Hz

2.05 hp	240.3 lbs	220-240V	17.7 in
OUTPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER PG 280 | 60 Hz

3 hp	158 lbs	220-240V	11
RATED INPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER PG 250 | 60 Hz

5 hp	322 lbs	230V	10 ⁿ in
OUTPUT POWER	WEIGHT	VOLTAGE	DIAMETER



HUSQVARNA FLOOR GRINDER PG 250 PETROL

13 hp	322 lbs	10 in
OUTPUT POWER	WEIGHT	DIAMETER

ONYX | BURNISHER



ONYX JX7-600

Propane Burnisher 27 In
Power Lx600 17 Hp Propane Engine
Dimensions 28" w X 53" l X 48" h



ONYX JX7-700

Propane Burnisher 27 In
Power Lx700 20 Hp Propane Engine
Dimensions 28" w X 53" l X 48" h

ONYX | AUTOSCRUBBERS



ONYX DX26

DUAL HEAD BATTERY AUTOSCRUBBER 26in

DIMENSIONS: 28" W x 53" L x 45" H

BATTERY CAPACITY: 24V, 4x6V

200Ah AGM Batteries

ONIX | AUTOSCRUBBERS



ONIX DX20
BATTERY AUTOSCRUBBER: 20in

DIMENSIONS: 20"W x 49"L x 44"H
BATTERY CAPACITY: 24V, 2x12V
100Ah AGM Batteries



ONIX DX32
DUAL HEAD BATTERY AUTOSCRUBBER 32in

DIMENSIONS: 33"W x 53"L x 45"H
BATTERY CAPACITY: 24V, 4x6V
200Ah AGM Batteries

DUST COLLECTORS | ASPIRADORAS



BDC-23 DUST COLLECTOR

300
cfm

AIRFLOW

157
lbs

WEIGHT



BDC-33 DUST COLLECTOR

343
cfm

AIRFLOW

410
lbs

WEIGHT

DUST COLLECTORS | ASPIRADORAS



BDC-66 DUST COLLECTOR

1,294
cfm

AIRFLOW

1,014
lbs

WEIGHT



HUSQVARNA DUST EXTRACTOR DE 110

1.5
hp

RATED INPUT POWER

132
lbs

AIRFLOW

56
lbs

WEIGHT



HUSQVARNA DUST EXTRACTOR DE 120

3
hp

RATED INPUT POWER

265
lbs

AIRFLOW

84.9
lbs

WEIGHT



HUSQVARNA DUST EXTRACTOR T 7500

10.1
hp

RATED INPUT POWER

353
lbs

AIRFLOW


454
lbs

WEIGHT

DUST COLLECTORS | ASPIRADORAS




HUSQVARNA DUST EXTRACTOR T 8600




SHOT BLASTER




1-8DM SHOT BLASTER



1-8DPS30 SHOT BLASTER




1-8DPF40 SHOT BLASTER




SHOT BLASTER



1-10DPS75 SHOT BLASTER




1-15DSGI SHOT BLASTER




STEEL SHOT BLASTER



350E SHOT BLASTER



500E SHOT BLASTER



POMPAS PARA POLYUREA



SB Mini Polyurea Joint Pump

CAPACITY: 1 gallon
Pump Weight: 27 lbs
Can be used with
Optional Hi-Tech
Portable Power Cart



SB2005 Polyurea Pump

CAPACITY: 6.7 gallon
Pump Weight: 190 lbs
Power: 110 v

FLOOR SCRAPERS | ESCARIFICADORES



HUSQVARNA FLOOR SCRAPER BS 110

2
hp

OUTPUT POWER

110V

VOLTAGE



HUSQVARNA FLOOR SCRAPER BMS 280P

25
hp

OUTPUT POWER

2900
lbs

WEIGHT

FLOOR SCRAPERS | ESCARIFICADORES



HUSQVARNA FLOOR SCRAPER BMS 220P

25
hp
OUTPUT POWER

2245
lbs
WEIGHT



HUSQVARNA FLOOR SCRAPER BS 75 | 60Hz

2
hp
OUTPUT POWER

110V
VOLTAGE

FLOOR SHAVERS



HUSQVARNA FLOOR SHAVER PG 830 | 50-60 Hz

21.5
hp
OUTPUT POWER

948
lbs
WEIGHT

400V
VOLTAGE

POWER CUTTERS | CORTADORAS MANUALES



HUSQVARNA POWER CUTTER K 4000 | 120 V

5 in	14 in	2.4 hp	16.8 lbs
CUTTING DEPTH, MAX	BLADE DIAMETER, MAX	RATED INPUT POWER	WEIGHT



HUSQVARNA POWER CUTTER K 970 | 16"

6 in	16 in	6.5 hp	25.6 lbs
CUTTING DEPTH, MAX	BLADE DIAMETER, MAX	OUTPUT POWER	WEIGHT



HUSQVARNA POWER CUTTER K 970 CHAIN

18 in	18 in	6.5 hp	21.2 lbs
CUTTING DEPTH, MAX	BAR LENGTH (INCH)	OUTPUT POWER	WEIGHT

FLOOR SAWS | CORTADORAS DE SUELO



HUSQVARNA POWER CUTTER FS 400 LV

7.5 in	20 in	11.7 hp	220 lbs
CUTTING DEPTH, MAX	BLADE DIAMETER, MAX	OUTPUT POWER	WEIGHT

COMPACTORS | COMPACTADORAS



HUSQVARNA COMPACTOR LT 6005

9.06 in	149 lbs	3.6 hp
PLATE WIDTH	WEIGHT	OUTPUT POWER

POWER TROWELS | FRATASADORAS



HUSQVARNA POWER TROWEL CT 36

915 mm	3.6 kW
TROWELING DIAMETER	POWER

POWER TROWELS | FRATASADORAS



HUSQVARNA POWER TROWEL CT 48



HUSQVARNA POWER TROWEL CRT 36 RIDE-ON



HUSQVARNA POWER TROWEL CRT 48 RIDE-ON



CORTADORAS | SOFF-CUT



HUSQVARNA SAW Soff-Cut 150 | 6"



CONCRETE SCREEDS REGLAS VIBRATORIAS DE HORMIGÓN



HUSQVARNA SCREED BV 30 | GAS

21.98
fl oz

SCREED BV 30 | GAS

1.4
hp

OUTPUT POWER

DEMOLITION EQUIPMENT EQUIPO DE DEMOLICIÓN



HUSQVARNA DEMOLITION ROBOT DXR 305 27 kW

36
hp

RATED INPUT POWER


4302.99
lbs

WEIGHT

22.5 gal/min

HYDRAULIC OIL FLOW

BRANCH | SUCURSALES



BRANCH | SUCURSALES

- MONTERREY, MX
- SAN ANTONIO, TEXAS
- QUERÉTARO, MX

COMMERCIAL PRESENCE PRESENCIA COMERCIAL

- MC ALLEN, TEXAS
- CIUDAD DE MÉXICO, MX
- GUADALAJARA, MX

CONTACT US | CONTÁCTANOS

UNITED STATES

✉ infousa@gcflooringsystems.com
☎ +1 (210) 314-8766

MÉXICO

✉ jessezambrano@gcflooringsystems.com
☎ +52 1 55 7918 8903